


| | | |
|-----------------------|---|---|
| Revision: 93030 / 4 | Test report according to DIN EN 10204 |  |
| Print date 15.02.2011 | | |
| Page 1 / 1 | | |

Customer: Blue H2O Filtration Pty Ltd.
29 Dalgety Street
Victoria 3166

Product: 93170005 SIHA-Active Yeast 10 Red Roman

Size: 0,5 kg

Batch: 025672600390606

Remark: PO 2011574

Specification

| Parameter | Unit | Min | Max | Set value | Target value |
|-------------------------|-------|----------|----------|--------------------------|--------------|
| Appearance | | | | homogeneously granulated | |
| Colour | | | | beige up to light brown | |
| Dry solids content | % | 93,5 | 95,5 | | |
| Viable cell count yeast | cfu/g | 1,00E+10 | | | |
| Total bacteria | cfu/g | | 1,00E+06 | | |
| Wild yeast | cfu/g | | 1,00E+05 | | |
| Suspension | s | | 20 | | |
| Activity | min | 75 | 105 | | |

The specification data comply with the following laws/regulations/guidelines:

Lebensmittel-, Bedarfsgegenstände- und Futtermittelgesetzbuch / LFGB

EU Regulation 1935/2004

We herewith confirm that the delivered goods correspond to the quality requirements and comply with the above mentioned characteristics.

Indicated test data are results of quality verifications only and do not substitute customer's quality verification upon receipt.

The indicated quality characteristics do not necessarily guarantee the qualification for a particular application.