

Yeast nutrient SIHA® SpeedFerm™



Used Prior to the Alcoholic Fermentation of Dry Active Yeasts

SIHA SpeedFerm yeast nutrient from Eaton's Begerow Product Line is a special yeast nutrient mixture made from inactive yeasts, containing vitamins (e.g. pantothenate, biotin), minerals (magnesium, zinc, manganese), and amino acids.

SIHA SpeedFerm yeast nutrient contains micronutrients that have a targeted effect prior to alcoholic fermentation. Especially after rehydration, when the enzyme and substrate traffic systems have been formed, yeast cells are able to absorb micronutrients and to accumulate them intracellularly, so that the cells have continuous access to this intracellular nutrient pool during alcoholic fermentation. Optimum yeast nutrition with SIHA SpeedFerm yeast nutrient therefore ensures a safe final degree of fermentation and a higher proportion of living cells up to the end of alcoholic fermentation.

The specific advantages of SIHA SpeedFerm yeast nutrient:

- Improves nutrient supplementation after rehydration and during changes in pure yeast temperature prior to alcoholic fermentation
- Reduces the formation of H₂S during alcoholic fermentation
- Promotes cell reproduction
- Increases the proportion of active cells during the entire fermentation process up to the end of fermentation
- Ensures a better final degree of fermentation, particularly during cold fermentation

SIHA SpeedFerm Yeast Nutrient Vitamin Spectrum

Vitamins	gr/10 oz (mg/100 g)
B ₁ (thiamin)	83.22 (1.9)
B ₂ (riboflavin)	0.18 (4)
PP (niacin)	1.97 (45)
B ₅ (pantothenic acid)	0.18 (4)
B ₆ (pyrimidine)	0.44 (10)
B ₈ (biotin)	0.0044 (0.1)
B ₉ (folic acid)	0.088 (2)
B ₁₂ (μg/100 g)	0.00088 (0.02)

SIHA SpeedFerm Yeast Nutrient Mineral Spectrum

Minerals	gr/10 oz (mg/100 g)
Sodium	8.8 (200)
Calcium	35.04 (800)
Iron	4.4 (100 ppm)
Zinc	1.53 (35 ppm)
Phosphorus	65.7 (1,500)
Potassium	70.08 (1,600)
Magnesium	8.76 (200)
Copper	1.53 (35 ppm)
Manganese	0.22 (5 ppm)

These values may fluctuate.

SIHA SpeedFerm Yeast Nutrient Amino Acid Spectrum

Minerals	gr/10 oz (mg/100 g) (no absolute values)
Methionine	0.35 (8)
Cysteine	0.23 (5,2)
Lysine	1.58 (36)
Threonine	1 (23)
Tryptophane	0.22 (5)
Arginine	0.98 (22.3)
Glycine	0.88 (20)
Histidine	0.48 (11)
Isoleucine	1.05 (24)
Leucine	1.4 (32)
Phenylalanine	0.83 (19)
Vanillin	1.2 (27)

These values may fluctuate.



Powering Business Worldwide




Application

SIHA SpeedFerm yeast nutrient is used after the rehydration of dry active yeasts (see graphic). SIHA SpeedFerm yeast nutrient is best applied during the change in temperature between dry active yeasts already rehydrated (temperature < 86 °F (30 °C)) and the tank to be inoculated (e.g. < 68 °F (20 °C)).

The product can be added directly without being dissolved.

Application scheme



Application	Quantity required lb/1,000 gal (g/hl) under normal difficult fermentation conditions	
	normal	difficult
Before alcoholic fermentation	1.7 – 2.5 (20 – 30)	2.9 (35)
For suspended fermentation	2.5 – 3.3 (30 – 40)	3.3 (40)

SIHA SpeedFerm yeast nutrient specifically aids the dry active yeast and is not a substitute for nitrogen dosage prior to fermentation or during alcoholic fermentation. The yeast should be additionally supplied with nutrients during alcoholic fermentation using SIHA Fermentation Salt yeast nutrient (diammonium phosphate), SIHA Fermentation Salt Plus yeast nutrient (diammonium phosphate, SIHA Vitamin B₁ yeast nutrient, cellulose) for intensively pre-clarified musts, or the SIHA PROFERM™ Plus combined yeast nutrient preparation.

Product Characteristics

SIHA SpeedFerm yeast nutrient ensures that yeast is supplied with important microelements. Microelements are essential enzyme cofactors that control the transport of sugar to the yeast cells on the one hand, and aid the intracellular traffic of the yeast on the other.

Adding SIHA SpeedFerm yeast nutrient prior to alcoholic fermentation results in an increased proportion of active cells throughout the entire alcohol fermentation process. The result is an assured degree of final fermentation and increased resistance of the yeast to stress factors, such as nutrient deficiency, temperature shocks, and toxic components. The optimum composition of inactive yeasts, vitamins, minerals, and other micronutrients makes product handling easier. The product dissolves very well in water, must, or must/water mixtures.

Safety

No safety specifications are required for SIHA SpeedFerm yeast nutrient as this product is used directly for food production. Storing, handling, and transporting this product do not create health or environmental hazards.

Additional information: generally not harmful to water according to the German VwVwS regulations of 1999 (Administrative Regulation on the Classification of Substances Hazardous to Waters into Water Hazard Classes).

Storage

SIHA SpeedFerm yeast nutrient is supplied in aluminum pouches. The product is not vacuum packed.

SIHA SpeedFerm yeast nutrient can be stored at room temperature (max. 68 °F (25 °C)) for a period of three years as long as the packaging remains intact.

Use up any remaining product quickly once the packaging has been opened.

Delivery Information

SIHA SpeedFerm yeast nutrient is sold under article no. 96.101 and is available in the following package sizes:

2.20 lb (1 kg) aluminum pouch

10 x 2.20 lb (1 kg) carton

5.51 lb (2.5 kg) aluminum pouch

4 x 5.51 lb (2.5 kg) carton

HS Customs Tariff: 3821 00 00

Certified Quality

SIHA SpeedFerm yeast nutrient is inspected regularly during the production process to ensure uniformly high product quality.

These inspections include technical functional criteria as well as safety in accordance with the relevant laws governing the production of foods. Strict controls are carried out immediately prior to and during final packaging.

SIHA SpeedFerm yeast nutrient meets the purity criteria of the International Codex for Wine Processing Agents and complies with the German Wine Law.

North America - HQ

44 Apple Street,
Tinton Falls, NJ 07724
Toll Free: 800 656-3344
(North America Only)
Voice: +1 732 212-4700

Europe/Africa/Middle East

Auf der Heide 2
53947 Nettersheim, Germany
Voice: +49 2486 809-0

Internormen Product Line

Friedensstraße 41
68804 Altlussheim, Germany
Voice: +49 6205 2094-0

Begerow Product Line
An den Nahewiesen 24
55450 Langenlonsheim, Germany
Voice: +49 6704 204-0

Brazil

Av. Julia Gaioli, 474 -
Bonsucesso
07251-500 - Guarulhos
Brazil
Voice: +55 11 2465 8822

China

No. 7 Lane 280 Linhong Road,
Changning District,
Shanghai 200335, China
Voice: +86 21 5200 0422

Singapore

4 Loyang Lane #04-01/02
Singapore 508914
Voice: +65 6825 1668

For more information, please e-mail us at filtration@eaton.com or visit us online at eaton.com/filtration for a complete list of Eaton's filtration products.

Not all products in Eaton's Begerow Product Line are available in all regions. Please contact your local Eaton office to determine availability.

© 2013 Eaton Corporation. All Rights Reserved. All trademarks and registered trademarks are the property of their respective owners.

All information and recommendations appearing in this brochure concerning the use of products described herein are based on tests believed to be reliable. However, it is the user's responsibility to determine the suitability for his own use of such products. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by Eaton as to the effects of such use or the results to be obtained. Eaton assumes no liability arising out of the use by others of such products. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.