# 70 SERIES OVERVIEW

## Hygienic Cartridge Housings

The **70 Series** hygienic filter housing range brings together advanced design and finishing techniques to produce a modern range of sanitary single and multi-cartridge filter vessels.

The 70 Series housing range consists of:-

#### 71 Series

- Design primarily as a hygienic vent filter
- Low cost simple design
- Crevice free construction with hygienic single polished inlet/outlet port
- Available for 5",10", 20" or 30" length cartridges and recommended for use with the naturally hydrophobic SupaPore TP PTFE membrane cartridge

#### 72 Series

- 'T' Style configuration is ideally suited to smaller scale or pilot based processes
- Base mounted, this free standing housing allows easy access to all internal areas
- No loose internals for trouble free operation
- Available for elements from 5" up to 30" long

#### 73 Series

- This leg mounted, free standing housing is ideal for larger scale critical applications
- Lightweight dome allows full and easy access for rapid change-outs
- Suitable for 3, 5 or 8 element stacks up to 30" long
- Rated up to 10 bar in liquids, up to 7 bar in gases and up to 150°C

#### 74 Series

- Inline connections for smooth flow path
- Plenum style housing ideally suited for Air and Gas streams
- Chamber equipped with drain plug for condensation removal
- Available for 5", 10", 20" and 30" code 7 cartridges

#### 76 Series

- Single cartridge housing suited to both gas and liquids
- Self draining, minimum product hold up
- Premium pharmaceutical quality
- Rated for full vacuum, up to 10 bar and 150°C
- Accepts 5",10", 20" and 30"code 7 cartridges

Manufactured in 316L stainless steel as standard and with an option of Alloy 22. Available in a variety of design styles so suitable for most clean processes.

Features include 'T' style designs (to provide ease of installation and minimal flow resistance) and various different connections and end cap configurations. The housings are finished by mechanical polishing to remove all crevices and then electro-polished both inside and outside, making them the market leaders in hygienic filtration systems.



### **Features and Benefits**

- 316L construction for maximum corrosion resistance
- Full housing customisation service available
- Available with finishes ranging from 0.4 μm to 0.8 μm Ra
- Every housing is etched with a serial number for full traceability
- Wide range of connection options available
- Full PED compliance with 2014/68/EU and full ATEX compliance with 2014/34/EU, level CE Ex II 2 GD c X



### 70 Series Technical Data

### **Maximum Operating Conditions**

		71 Series		72 Series			7303 Series			7305 Series		74 Series		76 Series		
		10"	20"	10"	20"	30"	10"	20"	30"	10"	20"	30"	10"	20"	10"	20"
Maximum Pressure	Liquid	-		10												
	Gas	-		10		7		6		10		10				
Maximum Temp.		150°C														
Volume (Litres)		2.5	4.5	2.6	4.6	6.6	11.4	19.4	27.4	14.2	23.3	32.4	3.8	5.5	2.6	4.5

**Materials of Construction** 

Body and Head: 316L St. Steel

Closure: 304 St. Steel (non wetted parts)

Seal: Silicone Viton

**Standard Connections** 

Inlet / Outlet: 1-2½" Tri Clamp Vent: 4" BSPF with Plug

Optional Connections: Tri Clamp, RJTM Coupling, DIN11851 Coupling, IDFM Coupling

PED Status:Compliant with 2014/68/EUExceptions:Group 1 fluids - Explosive

ATEX: Compliant with 2014/34/EU Level CE Ex II 2 GD c X

		71 Series	72 Series	73 Series	74 Series	76 Series			
Fluid Groups	Liquids	-	Groups 1+2	Groups 1+2	Groups 1	Groups 1+2			
	Gas	-	Groups 1+2	Group 2	Group 1+2	Groups 1+2			
Marking		-	CE						

For full details on any of our housings please contact the Sales Office or refer to individual datasheets available upon request.

Technical drawings for each individual housing showing dimensions, volume, weights, maximum temperatures and design pressures available on request.

### 70 Series Accessories

Hygienic Diaphragm Gauge 1/4" BSPM, 316 St.St gauge, 0-10 bar, glass or perspex front 11/2" Tri Clamp, 316 St.St gauge, 0-10 bar, glass or perspex front

Hygienic Reducers

 $0.8\,\mu m$  Ra, 1" Tri Clamp reducers to 11/2" 2" DIN 11851 male, RJTM, SMSM or IDFM

Clamps and Seals Silicone, EPDM, Viton, PTFE





# AMAZON FILTERS LTD.

Albany Estate, Camberley, Surrey, GU16 7PG, ENGLAND

Tel: +44 (0) 1276 670 600 Email: sales@amazonfilters.co.uk Web: www.amazonfilters.com