

DESTINATAIRE : BHF PTY LTD
CONSIGNEE : UNIT 1/11-13 WELLS ROAD OAKLEIGH,
DESTINATARIO : VICTORIA 3166 AUSTRALIA

CERTIFICAT D'ANALYSES / CERTIFICATE OF ANALYSIS / CERTIFICADO DE ANALISIS

Produit /
Product / OENOSTIM
Producto :

N° de lot Batch / 2240410
Batch number /
Número de lote :
DLUO /
Best Before / 10/04/2027
Fecha de caducidad :

ANALYSES / ANALYSIS / ANALISIS

Humidité # Humidity # Humedad	< 7 %
Azote total # Total nitrogen # Nitrogeno total	< 10 %
Arsenic # Arsenic # Arsénico	< 3 ppm
Plomb # Lead # Plomo	< 2 ppm
Mercure # Mercury # Mercurio	< 1 ppm
Levures revivifiables # Viable yeasts # Levaduras revivificables	< 10 ² UFC/g
Moisissures # Moulds # Mohos	< 10 ³ UFC/g
Bactéries lactiques # Lactic bacteria # Bacterias lacticas	< 10 ³ UFC/g
Bactéries acétiques # Acetic bacteria # Bacterias acéticas	< 10 ³ UFC/g
Coliformes # Coliforms # Coliformes	< 10 ² UFC/g
Salmonelles # Salmonella # Salmonellas /25g	absence # none # ausencia
<i>E. coli</i> /g	absence # none # ausencia
Staphylocoques # Staphylococcus # Estafilococos /g	absence # none # ausencia

Conforme au Règlement CE n°2019/934
Compliant with EC regulation n°2019/934
Conforme al Reglamento (CE) n°2019/934.

Canéjan le : 26/09/2024

Myriam POIRIER
Responsable Qualité # Quality Manager
#Responsable de Calidad

