



Solutions for winemaking
LAMOTHE-ABIET

DESTINATAIRE : **BLUE H2O FILTRATION**
CONSIGNEE : **UNIT 1/11-13 WELLS ROAD**
DESTINATARIO : **OAKLEIGH 3166 VICTORIA**
AUSTRALIA

CERTIFICAT D'ANALYSES / CERTIFICATE OF ANALYSIS / CERTIFICADO DE ANALISIS

Produit /
Product / **OPTITHIOLS**
Producto :

N° de lot Batch / **2210715**

Batch number /

Número de lote :

DLUO / **15/07/2024**

Best Before /

Fecha de caducidad :

ANALYSES / ANALYSIS / ANALISIS

Matière insoluble #Insoluble material #Materia insoluble	> 60%
Azote total #Total Nitrogen #Nitrógeno total	< 10%
Azote amoniacal # Ammoniacal nitrogen #Nitrógeno amoniacal (N)	< 0,5%
Acides aminés #Amino acids #Aminoácidos (N)	< 1,9%
Humidité #Humidity #Humedad	< 7%
Arsenic #Arsenic #Arsénico	< 3 ppm
Plomb #Lead #Plomo	< 2 ppm
Mercuré #Mercury #Mercurio	< 1 ppm
Cadmium #Cadmium #Cadmio	< 1 ppm
Levures #Yeasts #Levaduras	< 10 ² UFC/g
Moisissures # Mould #Moho	< 10 ³ UFC/g
Bactéries lactiques #Revivifiable lactic #Bacterias lacticos	< 10 ³ UFC/g
Bactéries acétiques #Acetic bacteria #Bacterias acéticas	< 10 ³ UFC/g
Salmonelles # Salmonella # Salmonella/25g	absence # none #ausencia
<i>Escherichia coli</i> /g	absence # none # ausencia
Staphylocoques #Staphylococcus #Estafilococos/g	absence # none #ausencia
Coliformes #Coliforms #Coliformes	< 10 ² UFC/g

Conforme au Règlement CE n°2019/934
#Compliant with EC regulation n°2019/934
#Conforme al Reglamento (CE) n°2019/934

Canéjan le : 27/08/2021

Ambre RAIBON
Responsable Qualité # Quality Manager
#Responsable de Calidad