

Revision date: 21-FEB-2022 Print date: 21-FEB-2022

Version: 1



This document is based on the SDS provided by Lamothe-Abiet and has been adapted by Blue H₂O Filtration according to The Globally Harmonised System classification and Australian requirements.

# Section 1: Identification: Product identifier and chemical identity

### 1.1 Product identifier

Sanita.

### 1.2 Other means of identification

Elemental sulfur tablets.

### 1.3 Recommended use of the chemical and restrictions on use

Beverage production.

# 1.4 Details of manufacturer or importer

### Manufacturer

Lamothe-Abiet Avenue Ferdinand de Lesseps ZA-ACTIPOLIS 33610 CANEJAN - FRANCE P: +33557779292

e: contact@lamothe-abiet.com

### **Importer**

Blue H2O Filtration 1/11-13 Wells Road Oakleigh VIC 3166 P: 03 9564 7029 e: info@blueh2o.com.au

### 1.5 Emergency phone number

General emergency: 000

After hours emergency: 0401 446 119

Poisons information centre 1800 251 525 or 131 126

Chemcall Australia 1800 127 406

# Section 2: Hazard(s) identification

### 2.1 Classification of the substance

GHS classification: Health hazard: Skin corrosion/irritation: 1A, 1B, 1C, 2

Serious eye damage/eye irritation: 1, 2A, 2B

**(!)** 

Pictograms:

Signal word: Warning.

Hazard statements: H315: Causes skin irritation.

H319: Causes serious eye irritation.

Page 1 of 8 © Blue H<sub>2</sub>O Filtration 2022



Revision date: 21-FEB-2022 Print date: 21-FEB-2022

Version: 1



Precautionary statements: P261 - Avoid breathing dust, fume, gas, mist, vapours, spray.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves, protective clothing, eye protection, face

protection.

P304+P340 - IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P312 - Call a doctor, a POISON CENTER if you feel unwell.

P337+P313: If eye irritation persists: Get medical advice/attention.

P403 + P233: Store in a well-ventilated area. Keep container tightly closed

P405: Store locked.

P501: Dispose of contents or container with a collection of special or

hazardous waste

Additional information: None.

#### 2.2 Label elements

See Section 2.1.

### 2.3 Other hazards

**Skin contact:** May cause irritation on prolonged contact. **Eye contact:** May cause eye irritation upon direct contact.

**Ingestion:** Excessive ingestion could lead to intestinal discomfort (e.g. diarrhea, bloating, cramping, etc.). **Following inhalation:** In some cases, repeated exposure may lead to allergic sensitization based on the exposure level, duration and susceptibility of the individual. Subsequent chronic or acute exposure in sensitized persons may cause allergic reaction within minutes or a delayed effect, or a mixture of both. Typical symptoms are respiratory irritation, breathlessness, coughing, tightness and difficulty breathing.

# Section 3: Composition and information on ingredients

## 3.1 Ingredients and composition

Product identifier	CAS/EC/E numbers	Substance name/classification	Concentration
Sanita, Sanita 5g/10g	7704-34-9/231-722-6	Sulfur (elemental)	> 95 %

# **Section 4: First aid measures**

# 4.1 Description of first aid measures

**Inhalation:** Provide fresh air. In case of respiratory tract irritation, consult a physician.

**Skin contact:** After contact with skin, wash immediately with plenty of water and soap. Consult a physician

If on clothing: Brush off in a well-ventilated area. Clean clothing when possible.

**Eye contact:** If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 15 minutes. Subsequently consult an ophthalmologist. Consult a physician.

Page 2 of 8 © Blue H<sub>2</sub>O Filtration 2022



Revision date: 21-FEB-2022 Print date: 21-FEB-2022

Version: 1



**Ingestion:** Rinse mouth immediately and drink plenty of water. Consult a physician.

# 4.2 Symptoms caused by exposure

Danger: If swallowed, risk of sulfur dioxide formation by reaction with gastric acid.

May cause respiratory irritation and sever eye irritation. Exposure may lead to allergic sensitization based on the exposure level, duration and susceptibility of the individual. Subsequent chronic or acute exposure in sensitized persons may cause allergic reaction within minutes or a delayed effect, or a mixture of both. Typical symptoms are respiratory irritation, breathlessness, coughing, tightness and difficulty breathing. Can cause eye and skin irritation.

# 4.3 Medical attention and special treatment

Treat symptomatically. Consult a physician.

# **Section 5: Firefighting measures**

# 5.1 Suitable extinguishing equipment

Water, carbon dioxide (CO<sub>2</sub>), foam, extinguishing powder. **Unsuitable extinguishing media:** High powder water jet.

### 5.2 Specific hazards

**In case of fire:** Toxic fumes; sulfur oxides may be liberated.

### 5.3 Special protective equipment and precautions

In case of fire: Wear self-contained breathing apparatus. Danger of slipping by leaked/spilled product.

## Section 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe dust/vapours. Use personal protection equipment. Avoid contact with skin and eyes.

### 6.2 Environmental precautions

Do not allow to enter soil/subsoil. Do not flush into the sewer system or water courses.

### 6.3 Methods and materials for containment and cleaning up

Avoid dust formation. Collect mechanically. Wash with plenty of water. Ventilate affected area.

# Section 7: Handling and storage

## 7.1 Precautions for safe handling

Avoid dust formation. Avoid exposure to acids. Use only in well-ventilated areas. Inhalation of vapours may cause irritation of the respiratory system. Avoid contact with skin, eyes and clothes. Wear personal protective equipment. Avoid at any time partial heating of the product which would generate a violent exothermic reaction.



Revision date: 21-FEB-2022 Print date: 21-FEB-2022

Version: 1



### 7.2 Conditions for safe storage

Keep container tightly closed in a cool, dry, dark and well-ventilated place. Keep away from ignition sources, acids, bases, oxidants and heat.

# Section 8: Exposure controls and personal protection

# 8.1 Exposure control measures

**Sulfur** (7704-34-9)

EU – Indicative Occupational Exposure Limit (IOEL)

 $\begin{array}{ll} \text{IOEL TWA (ppm)} & \sim 0.5 \text{ ppm (SO}_2) \\ \text{IOEL STEL (ppm)} & \sim 1 \text{ ppm (SO}_2) \\ \text{Notes} & \text{SO}_2 \end{array}$ 

# 8.2 Biological monitoring

None.

## 8.3 Control banding

None.

## 8.4 Engineering controls

Adequate ventilation of the work area. Avoid dust formation. Avoid heat, acids, bases and strong oxidants.

### 8.5 Individual protection measures (PPE)

# 1. Eye and face protection

Safety glasses – sealed or with side shields. Avoid contact lenses.

#### 2. Skin protection

Protective gloves – chemically resistant.

### 3. Respiratory protection

Respiratory protection necessary if insufficient ventilation.

Suitable respiratory protection apparatus: Mask with cartridge suitable for sulfur dioxide (SO<sub>2</sub>).

#### 4. Thermal hazards

Avoid exposure to heat.

# Section 9: Physical and chemical properties

## 9.1 Appearance

Yellow solid tablets. Pungent odour.



Revision date: 21-FEB-2022 Print date: 21-FEB-2022

Version: 1



# 9.2 Physiochemical data

Parameter	Data	At °C	Method	Comment
Auto-ignition temperature	Not determined			
Decomposition temperature	Not determined			
Evaporation rate	Not determined			
Flammability	Non-flammable			
Flash point	Not determined			
Initial boiling point and range	Not determined			
Melting point	115-119 °C	1.013 bar		
Freezing point	Not determined			
Odour	Not determined			
Odour threshold	Not determined			
Partition coefficient: n-octanol/water	Not determined			
рН	~ 6 @ 5 %	20		
Density	1.79 g/cm <sup>3</sup>	20		
Solubility	Insoluble in water	20		
Upper/lower flammability or explosive limits	Not determined			
Vapour density	Not determined			
Vapour pressure	Not determined			
Viscosity	Not determined			

#### 9.3 Other information

Omitted data from Table 9.2 indicates that these are not relevant to the safe usage of the product.

# Section 10: Stability and reactivity

## 10.1 Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## 10.2 Chemical stability

Chemically stable under normal conditions of usage.

### 10.3 Possibility of hazardous reactions

Dangerous reactions with acids and oxidizing agents liberating toxic gases.

## 10.4 Conditions to avoid

Avoid heat, flames, sparks, humidity, moisture and poor ventilation.

### 10.5 Incompatible materials

Moisture, high temperatures (> 30 °C), strong acids, strong bases, strong oxidants.

## 10.6 Hazardous decomposition products

Oxides of sulfur (SO<sub>2</sub>) can be liberated in case of fire.



Revision date: 21-FEB-2022 Print date: 21-FEB-2022

Version: 1



# **Section 11: Toxicological information**

11.1 Toxological information relevant to health hazard category

Parameter	Data/comment
Acute toxicity	No data available.
Skin corrosion/irritation	Irritant.
Serious eye damage/irritation Respiratory or skin sensitisation	Irritant. Severe eye irritation. Causes serious eye damage. Irritant. In some cases, repeated exposure may lead to allergic sensitization based on the exposure level, duration and susceptibility of the individual. Subsequent chronic or acute exposure in sensitized persons may cause allergic reaction in minutes or a delayed effect, or a mixture of both. Typical symptoms are respiratory irritation, breathlessness, coughing,
Germ cell mutagenicity	tightness in the chest and difficulty breathing.  No data available.
Carcinogenicity	No data available.
Reproductive toxicity	No data available.
Specific target organ toxicity (STOT) – single exposure	No data available.
Specific target organ toxicity (STOT) – repeated exposure	No data available.
Aspiration hazard	No data available.

#### 11.2 Other information

### Sanita

 $LD_{50}$  oral (rat):  $\sim 2300$  mg/kg

LC<sub>50</sub> fish:

EC50 (*Daphnia*):

LOAEL oral (rat):

LOAEL dermal (rabbit):

LOAEC inhalation (rat):

NOAEL oral (rat):

NOAEL dermal (rabbit):

NOAEL dermal (rabbit):

4552 mg/L

1000 mg/kg

400 mg/kg

**Sulfur** (CAS 7704-34-9)

 $LC_{50}$  (fish): 0-14 mg/L.

EC<sub>50</sub> (Daphnia): ≤ 5000 mg/L. Test organism: *Daphnia magna*.

# Section 12: Ecological information

### 12.1 Ecotoxicity

No data available. The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

# 12.2 Persistence and degradability

Mineral. Not biodegradable.



Revision date: 21-FEB-2022 Print date: 21-FEB-2022

Version: 1



# 12.3 Bioaccumulative potential

No data available.

# 12.4 Mobility in soil

No data available.

### 12.5 Other adverse effects

No data available. Do not allow to enter drains or water courses.

### 12.6 Other information

No data available.

# **Section 13: Disposal considerations**

# 13.1 Disposal methods

Dispose of unwanted material in accordance with local regulations.

# **Section 14: Transport information**

# 14.1 UN number

No data available.

# 14.2 Shipping or technical name

No data available.

# 14.3 Transport hazard class

No data available.

## 14.4 Packing group number

No data available.

## 14.5 Environmental hazards for transport purposes

No data available.

## 14.6 Special precautions for user

No data available.

# 14.7 Additional information

No data available.

## 14.8 Hazchem or emergency action code

No data available.



Revision date: 21-FEB-2022 Print date: 21-FEB-2022

Version: 1



Section 15: Regulatory information 15.1 Safety, health and environmental regulations No data available.

# Section 16: Other relevant information

This information is based on our current knowledge. The information is intended to give you advice about the safe handling of the product(s) in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product(s) with other products, or in the case of processing, the information on this safety data sheet may no longer be valid.