



Solutions for winemaking

LAMOTHE-ABIET

DESTINATAIRE : **BLUE H2O FILTRATION**
CONSIGNEE : **UNIT 1/11-13 WELLS ROAD**
DESTINATARIO : **OAKLEIGH 3166 VICTORIA**
AUSTRALIA

CERTIFICAT D'ANALYSES / CERTIFICATE OF ANALYSIS / CERTIFICADO DE ANALISIS

Produit /
Product / **ACTIBIOL**
Producto :

N° de lot / **2220803**
Batch number /
Número de lote :
DLUO /
Best Before /
Fecha de caducidad : **03/08/2025**

ANALYSES/ANALYSIS/ANALISIS

Aspect # Aspect # Aspecto	Poudre # Powder # Polvo
Couleur # Color # Color	Blanc # White # Blanco
Humidité # Humidity # Humedad	< 6%
Azote total # Total nitrogen # Nitrogeno total	≈ 1%
Levures revivifiables # Viable Yeasts # Levaduras revivificables	< 10 ² UFC/g
Moisissures # Moulds # Mohos	< 10 ³ UFC/g
Bactéries lactiques # Lactic bacteria # Bacterias lacticas	< 10 ³ UFC/g
Bactéries acétiques # Acetic bacteria # Bacterias acéticas	< 10 ³ UFC/g
Coliformes # Coliforms # Coliformes	< 10 ² UFC/g
Salmonelles # Salmonella # Salmonellas /25g	absence # none # ausencia
E. coli /g	absence # none # ausencia
Staphylocoques # Staphylococcus # Estafilococos /g	absence # none # ausencia
Arsenic # Arsenic # Arsénico	< 2 ppm
Plomb # Lead # Plomo	< 4,5 ppm
Mercure # Mercury # Mercurio	< 1 ppm
Cadmium # Cadmium # Cadmio	< 1 ppm

Conforme au Règlement CE n°2019/934
Compliant with EC regulation n°2019/934
Conforme al Reglamento (CE) n°2019/934.

Canéjan le : 06/10/2023

Ambre RAIBON
Responsable Qualité # Quality Manager
#Responsable de Calidad