



Solutions for winemaking  
LAMO THE-ABIET

DESTINATAIRE : **BLUE H2O FILTRATION PTY**  
CONSIGNEE :  
DESTINATARIO : **LTD UNIT 1/11-13 WELLS ROAD OAKLEIGH,  
VICTORIA  
3166 AUSTRALIA**

## CERTIFICAT D'ANALYSES / CERTIFICATE OF ANALYSIS / CERTIFICADO DE ANALISIS

Produit /  
Product / **OPTITHIOLS**  
Producto :

N° de lot Batch /  
Batch number /  
Número de lote : **2220711**

DLUO /  
Best Before /  
Fecha de caducidad : **11/07/2025**

### ANALYSES / ANALYSIS / ANALISIS

Matière insoluble #Insoluble material #Materia insoluble	> 60%
Azote total #Total Nitrogen #Nitrógeno total	< 10%
Azote amoniacal # Ammoniacal nitrogen #Nitrógeno amoniacal (N)	< 0,5%
Acides aminés #Amino acids #Aminoácidos (N)	< 1,9%
Humidité #Humidity #Humedad	< 7%
Arsenic #Arsenic #Arsénico	< 3 ppm
Plomb #Lead #Plomo	< 2 ppm
Mercuré #Mercury #Mercurio	< 1 ppm
Cadmium #Cadmium #Cadmio	< 1 ppm
Levures #Yeasts #Levaduras	< 10 <sup>2</sup> UFC/g
Moisissures # Mould #Moho	< 10 <sup>3</sup> UFC/g
Bactéries lactiques #Revivifiable lactic #Bacterias lacticos	< 10 <sup>3</sup> UFC/g
Bactéries acétiques #Acetic bacteria #Bacterias acéticas	< 10 <sup>3</sup> UFC/g
Salmonelles # Salmonella # Salmonella/25g	absence # none #ausencia
<i>Escherichia coli</i> /g	absence # none # ausencia
Staphylocoques #Staphylococcus #Estafilococos/g	absence # none #ausencia
Coliformes #Coliforms #Coliformes	< 10 <sup>2</sup> UFC/g

**Conforme au Règlement CE n°2019/934**  
**#Compliant with EC regulation n°2019/934**  
**#Conforme al Reglamento (CE) n°2019/934**

Canéjan le : 14/02/2024

Ambre RAIBON  
Responsable Qualité # Quality Manager  
#Responsable de Calidad